


MULTIFAMILY SOLUTIONS



Reliable Lighting. Proven Value. All in One Place.



INDOOR

Downlights.....	8
Flush Mounts	10
Utility Lights Round	14
Vanities	15
Undercabinet Lights.....	16
Spin Lights	18
Utility Lights.....	18
Shop Lights.....	19
Flat Panels.....	20
Troffers	21
Wraps.....	22
Strips	23

EXIT & EMERGENCY

Exit Signs.....	24
Emergency Lights	25

DEMANDING SPACES

Canopies.....	28
Vapor Tights	29
Round High Bays.....	30

OUTDOOR

Outdoor Flush Mounts	32
Bulkheads.....	32
Wall Packs.....	33
Flood Lights	34
Area Lights.....	35





Dependable Lighting from Units to Community Spaces

see full line at etissl.com

Flat Panels & Troffers

Variety of flat panels and troffers with 0-10V Dimming, Selectable CCTs and Lumens. Pre-installed battery backup items, in stock and ready to ship.

[MORE >](#)



Utility & Shop Lights

Many options for utility rooms and closets.

[MORE >](#)



Wraps and Strips

Strips and wraps for common areas and stairwells. 0-10V Dimming, Selectable CCTs and Lumens. Motion Sensor options and accessories.

[MORE >](#)



Canopies, High Bays & Vapor Tights

Diverse solutions with key features including; Selectable CCTs and Lumens, 0-10V dimming, and Integral Battery Backup. IP65 options for garages and outdoor.


[MORE >](#)



Downlights

ETI's Recessed Downlights are all Wet Location Rated. Commercial and Residential Models. Selectable CCT and Lumen Options. Fire-rated line also available.

[MORE >](#)



Exit & Emergency

High quality exits and emergency lights with 90+ Min. Battery Backup. Remote capable option available.

[MORE >](#)



Outdoor Lighting

ETI has a full line of outdoor lighting, including **Wall Packs, Flood Lights, Area Lights** and more.


[MORE >](#)



Vanity Lights

ETI has an offering of beautiful, stylish vanities that feature 5 Selectable CCTs and Nightlight mode.

[MORE >](#)



Decorative Flush Mounts

Contemporary Linear and Round Flush Mount designs with patented Color Preference® selectable CCTs.

[MORE >](#)



Spin Lights

Our Spin Light® line with E26 base converts existing lamp holders into LED flush mount fixtures — no rewiring.

[MORE >](#)



Utility Round Puffs

ETI has a variety of ceiling and puff lights, including a 120-277V round ceiling light with integrated battery backup.

[MORE >](#)



INDOOR



Comprehensive Indoor Lighting for Units and Common Areas

Purpose-built for multifamily living, our indoor lighting solutions balance performance, flexibility, and ease. A wide range of fixture types and selectable options allows for tailored lighting across applications while simplifying specification and installation.



ALTAIR RETROFITS

Efficient and versatile, great for retrofit, remodel, or new construction projects. Detachable E26 base and can be used in standard sockets or hard-wired.

5 SELECTABLE CCT

SIZE OPTIONS
Baffle Trim: 4" | 6"
Gimbal: 4" | 6"



SPEC SHEET

ALTAIR CANLESS

Flexible lighting for residential and commercial spaces. Available in single or multi-volt, with high-output 6" and gimbal options.

5 SELECTABLE CCT

SIZE OPTIONS
SINGLE-VOLT (120V)
Wafer: 4" | 6" | 6"HO | 8"
Gimbal: 4" | 6"
MULTI-VOLT (120-277V)
Wafer: 4" | 6" | 6"HO | 8"



SPEC SHEET

ALTAIR SURFACE MOUNTS

Flexible lighting for residential and commercial spaces. Available in single or multi-volt, with high-output 6" and gimbal options.

5 SELECTABLE CCT

SIZE OPTIONS
Standard: 4" | 6"
Motion: 6"



SPEC SHEET

FIRE RATED CANLESS

Our Fire-Rated Downlights withstand temperatures up to **1100° for up to two hours**, significantly decreasing the time it takes for fires to spread.

5 SELECTABLE CCT

SIZE OPTIONS
3" | 4" | 6" | 8"



SPEC SHEET

CAPELLA COMMERCIAL DOWNLIGHT

Perfect for commercial applications, Capella Downlights have a deep recessed look with soft, diffused light quality for visual comfort and minimized glare.

4 SELECTABLE CCT

3 SELECTABLE WATTAGES

SIZE OPTIONS
4" | 6" | 8" | 10"



SPEC SHEET

ETI's Altair lights offer 5 selectable CCTs and 90+ CRI for easy standardization and consistent performance across downlight layouts.



KOA SERIES

With round and tapered design options, KOA flush mounts are matte black fixtures with oak accents.

Size: 14" Dia.

5 SELECTABLE CCT

Color Preference®

NightLightR™

120V



SPEC SHEET



DECORATIVE ROUND COLLECTION

MIDWEST

White Finish

Size: 14" Dia.



SPEC SHEET

GATSBY

White Finish | Gold Accent
Black Finish | Brushed Nickel Accent

Size: 14" Dia.



SPEC SHEET

ESTELLE

White Finish | Black Finish
Gold Accent

Size: 14" Dia.



SPEC SHEET

CENTURY

White Finish

Sizes:
14" Dia. | 16" Dia.



SPEC SHEET

ASTORIA

Black Finish

Size: 15" Dia.



SPEC SHEET

LOWPRO

White Finish | Bronze Finish
Brushed Nickel Finish

Size: 11" Dia.



NightLightR™

SNAPFIT
Mounting System

SPEC SHEET

ORBIT

Brushed Nickel Finish

Sizes:
11" Dia. | 15" Dia.
32" Oval



SPEC SHEET

PIVOT

White Finish

Sizes:
14" Dia. | 22" Dia.
30" Dia.



SPEC SHEET

7.5" FLUSH MOUNT

White Finish
Brushed Nickel Finish

Size: 7.5" Dia.



NightLightR™

TwistFit
Mounting System

SPEC SHEET

ETI's Decorative Round Flush Mount Series offers stylish versatility with 3 selectable CCT options.

From modern minimalism to retro-inspired designs, each fixture is 120V and

TRIAC dimmable for flexible, everyday lighting.



120V



NUDECO SERIES

With a modern, streamlined design, NuDeco lights provide versatile style for kitchen islands, entryways, large closets, laundry rooms, and more.

SIZE OPTIONS
 Black: 4' x 6" | 4' x 10"
 Brushed Nickel: 4' x 6"

3 SELECTABLE CCT

Color Preference®

NightLightR

120V TRIAC Dimming Damp Location 5 YEAR WARRANTY

SPEC SHEET



DECORATIVE LINEAR COLLECTION

<p>ESSEX Walnut Finish Size: 4' x 13" NightLightR SPEC SHEET</p>	<p>RUTLAND White Finish Size: 4' x 13" NightLightR SPEC SHEET</p>	<p>VERMONT White with Walnut Finish Black with Oak Finish Size: 4' x 1' SPEC SHEET</p>	<p>REVOL Black Finish with Industrial Rivets Sizes: 4' x 8" 4' x 1' SPEC SHEET</p>
<p>WELLEN Walnut Finish Sizes: 4' x 8" 4' x 1' NightLightR SPEC SHEET</p>	<p>RUNDEN White Finish Black Finish Sizes: 4' x 6" 4' x 1' SPEC SHEET</p>	<p>PIVOT White Finish Sizes: 4' x 8" 4' x 6" 4' x 1' SPEC SHEET</p>	

ETI's Decorative Linear Flush Mount Collection features 3 selectable CCTs and styles from modern farmhouse to industrial-inspired, all in 120V TRIAC dimmable fixtures. Each fixture has QuickFit installation.

Color Preference® QUICKFIT MOUNTING SYSTEM 120V TRIAC Dimming Damp Location 5 YEAR WARRANTY

UTILITY ROUND AND LINEAR PUFFS

Reliable, no-fuss lighting in round and linear designs with selectable CCT options. Offering includes single and multi-volt configurations—including models with integrated battery backup or occupancy sensor.


COMMERCIAL

SINGLE CCT ROUND

Sizes: 12" Dia. | 16" Dia.



2700K 4000K



SPEC SHEET

3 CCT ROUND

Sizes: 12" Dia. | 16" Dia.

Integrated Motion Sensor Option on 16"



3 SELECTABLE CCT



120-277V



SPEC SHEET

3 CCT ROUND WITH BBU

Size: 16" Dia.



3 SELECTABLE CCT



120-277V



SPEC SHEET

RESIDENTIAL

REVA ROUND

Size: 16" Dia.



4000K

SPEC SHEET

LINEAR PUFF

Sizes: 4' x 1.5' | 4' x 10"



3 SELECTABLE CCT



SPEC SHEET



Residential Puffs are 120V, TRIAC Dimmable



All ETI Utility Lights are Damp Rated and have a 5-Year Warranty.



VANITY COLLECTION

24" RESIDENTIAL

ALLURE

Black Finish
Brushed Nickel Finish



NightLightR

SPEC SHEET

RADII

Black Finish
Brushed Nickel Finish



NightLightR

SPEC SHEET

MATTONE

Black Finish
Brushed Nickel Finish



SPEC SHEET



ISPA

Black Finish
Brushed Nickel Finish




NightLightR

SPEC SHEET

HERA


Black Finish
Brushed Nickel Finish



NightLightR

SPEC SHEET

ETI's Decorative Linear Flush Mount Collection features 5 selectable CCTs and styles from modern farmhouse to industrial-inspired, all in 120V TRIAC dimmable fixtures.




24" COMMERCIAL

VANITY LIGHT BARS

Black Finish | Brushed Nickel Finish
Chrome Finish



ETI also offers commercial-grade 5 selectable CCT vanity lighting solution designed for broad application coverage.



SPEC SHEET

NEXUS

Our Nexus Under Cabinet Lights feature adaptable Clip Fit Mounting Clips for both wall and surface mounting. The adjustable fixture allows you to direct light where needed. Slim design is great for direct and indirect lighting applications.

5 SELECTABLE CCT

Color Preference®




120V

SPEC SHEET

SIZE OPTIONS
12" | 18" | 24"

2 Brightness Levels

Adjustable Fixture
Direct the Light
Where Desired



Adaptable Clip Fit Mounting Clips allow for wall or surface mounting.



NEXUS ADJUSTABLE

ETI Lighting's Nexus Adjustable Under Cabinet Lights adjustable lens with 55° tilt to direct light where desired. Available in two model options: adjustable brightness or a built-in nightlight with OneTouch control. The compact, low-profile design adds a sleek finish.

5 SELECTABLE CCT

Color Preference®

NightLightR™

ONE Touch



120V

SPEC SHEET

SIZE OPTIONS
12" | 18" | 24"

2 Brightness Levels

Nightlight Mode with OneTouch



SPIN LIGHTS

The patented Spin Light® converts a bare lamp holder into a bright LED flush mount fixture—no rewiring or new fixture installation needed. Simply screw it into the existing lamp holder like a light bulb.

7" SPIN LIGHT

Size: 7" Dia.



3 SELECTABLE CCT

Color Preference

SPEC SHEET

7" SPIN LIGHT with PULL CHAIN

Size: 7" Dia.



3 SELECTABLE CCT

Color Preference

SPEC SHEET

7" SPIN LIGHT with PIR SENSOR

Size: 7" Dia.



3 SELECTABLE CCT

Color Preference

SPEC SHEET

11" SPIN LIGHT

Size: 11" Dia.



4000K

SPEC SHEET

5" SPIN LIGHT

Sizes: 5" Dia.



4000K

SPEC SHEET

7" HIGH OUTPUT ADJUSTABLE TRI-PANEL

Sizes: 7" Dia.



4000K

SPEC SHEET



All ETI Spin Lights have an E26 base and come with a SPEEDMOUNT® bracket. They are 120V, Damp Rated, Non-Dimmable and have a 5-Year Warranty.



UTILITY LIGHTS

ETI Universal Round Utility Lights are available in 4 versatile styles designed for quick, easy installation.

5" UTILITY LIGHT



SPEC SHEET

5" UTILITY LIGHT with PULL CHAIN



SPEC SHEET

4" COMPACT UTILITY LIGHT 6-PACK

6 PACK



SPEC SHEET

ULTRA-THIN DESIGN
0.55" Height

5" UTILITY LIGHT WITH PIR OC SENSOR



3 Hold Times:
1 min, 5 min, disable

PIR Sensor
100° Detection Angle

SPEC SHEET

All ETI Utility Lights are 4000K, 120V, Damp Rated, Non-Dimmable and have a 5-Year Warranty.



SHOP LIGHTS

36" LED SHOP LIGHT with PULL CHAIN



SPEC SHEET

42" LED SHOP LIGHT with PULL CHAIN

Options: Standard or High Output



SPEC SHEET

ANOMA SHOP LIGHT with PULL CHAIN

Options: Standard or High Output



SPEC SHEET

All ETI Shop Lights include drywall and hanging mounting kits and a 5' power cord. 4000K, 120V, damp rated, non-dimmable, and backed by a 5-year warranty.



MULTI-SELECT FLAT PANELS

ETI's Back-Lit Multi-Select Flat Panel Series features a slim profile ideal for shallow plenums, with 3 selectable wattages and 3 selectable color temperatures for maximum flexibility.

3 SELECTABLE CCT

3 SELECTABLE WATTAGES

SIZE OPTIONS


2' x 4' | 2' x 2' | 1' x 4'

Color Preference **3 LUMEN BOOST**



120-277V

SPEC SHEET



BOOST CENTER BASKET TROFFERS

With a slim design and 3 selectable wattages and color temperatures, Boost Center Basket Troffers deliver versatile performance across a wide range of applications.

3 SELECTABLE CCT

4 SELECTABLE WATTAGES

SIZE OPTIONS

2' x 4' | 2' x 2' | 1' x 4'

Color Preference **4 LUMEN BOOST**



120-277V

SPEC SHEET



RESIDENTIAL

SELECTABLE RESIDENTIAL WRAPS

Comfortable, low-profile lighting for in-unit spaces. Selectable CCT with a microprismatic lens for soft, even light and dependable everyday performance.

3 SELECTABLE CCT

Color Preference®

120V TRIAC Dimming

SPEC SHEET

SIZE OPTIONS

Narrow: 24" x 6" | 46" x 6"
Medium: 46" x 8"
Wide: 46" x 10"

COMMERCIAL

SELECTABLE COMMERCIAL WRAPS

Flexible, low-profile lighting for multifamily common areas. Selectable CCT and lumens, with a durable design and microprismatic lens for low-glare illumination.

3 SELECTABLE CCT

Color Preference®

3 LUMEN BOOST

DLC LISTED 120-277V 0-10V Dimming

SPEC SHEET

SIZE OPTIONS

Narrow: 24" x 6" | 46" x 6"
Wide: 46" x 10"

RESIDENTIAL

ECO STRIP

Sizes: 2' | 4'

3 SELECTABLE CCT

Color Preference®

DLC LISTED 120V TRIAC Dimming

SPEC SHEET

End-to-End Connector Included

Suspension Kit & 5-ft. Power Cord w/ on/off Switch Included

TIRA STRIPS

Sizes:
Round: 2' | 4' | 8'
Double: 2' | 4' | 8'

3 SELECTABLE CCT

Color Preference®

120V TRIAC Dimming

SPEC SHEET

COMMERCIAL

VERSA STRIPS

SIZE OPTIONS

4' Single - 4000K or 5000K
8' (Two 4' with Bracket) 5000K

DLC LISTED 120-277V 0-10V Dimming

SPEC SHEET

SELECTABLE STRIPS

Sizes:
Round: 4' | 8'
Square: 4' | 8'

3 SELECTABLE CCT

Color Preference®

3 LUMEN BOOST

DLC LISTED 120-277V 0-10V Dimming

SPEC SHEET

All ETI Selectable Wraps are Damp Rated and have a 5-Year Warranty.




All ETI Strip Lights are Damp Rated and have a 5-Year Warranty.





Bi-Color Signs

Featuring bright, energy-efficient **red and green LED illumination with interchangeable panels**, these signs adapt easily to a variety of applications. Each unit includes a canopy for quick, streamlined installation, delivering a dependable and code-compliant solution for clear exit identification in multifamily and commercial spaces.



Bicolor LEDs & Panels



Flip switch between RED or Green LEDs

- Built in 1.2V 1000mAh Ni-MH battery for minimum 90 min.
- Equipped with test button and AC Indicator Light
- Emergency operation (max 24 hr full recharge time)
- UL 94V-0 flame rating on housing

BICOLOR LED EXIT SIGN

Slim, dependable exit signage with selectable red or green illumination. Available in single or double-sided configurations with included canopy for easy installation.



SPEC SHEET

BICOLOR LED EXIT COMBO

Exit sign and emergency lighting in one compact solution. Features dual adjustable lamp heads and selectable red or green lettering for flexible visibility.



SPEC SHEET

Emergency Lights

Featuring bright, energy-efficient **red and green LED illumination with interchangeable panels**, these signs adapt easily to a variety of applications. Each unit includes a canopy for quick, streamlined installation, delivering a dependable and code-compliant solution for clear exit identification in multifamily and commercial spaces.

2-HEAD EMERGENCY LIGHTS

White Finish | Black Finish

Reliable emergency lighting with dual adjustable heads for targeted illumination during power outages. Provides over 90 minutes of battery backup and dependable code-compliant performance.


SPEC SHEET



2-HEAD EMERGENCY LIGHTS WITH REMOTE CAPABILITY

Emergency lighting with dual adjustable heads and optional remote capability for expanded coverage. Delivers over 90 minutes of battery backup and dependable code-compliant operation.

SPEC SHEET



DEMANDING SPACES



Rugged Lighting for Demanding Spaces

Designed for the toughest multifamily applications, these rugged lighting solutions combine high output with long-lasting durability. Round high bays with integrated plug-and-play occupancy sensors, canopies and vapor tight fixtures offer dependable performance in parking garages, gyms, and other high-use areas. IP65-rated and wet-location listed, they stand up to moisture, debris, and continuous operation with ease.



CANOPY

Slim, rugged canopy light built for demanding environments. IP65 rated and IK10 impact resistant, with 3 selectable lumens and 3 CCTs to dial in the right output.

White Finish | Bronze Finish

3 SELECTABLE CCT

3 SELECTABLE WATTAGES

Color Preference **3 LUMEN BOOST**

DLC LISTED PREMIUM **0-10V Dimming** **Wet Location** **IP65** **IK10 IMPACT RESISTANT** **5 YEAR WARRANTY**

120-277V

SPEC SHEET



Easy Access
to Wattage & CCT select switches

SELADO VAPOR TIGHTS

Selado Vapor Tight Series delivers reliable performance in wet and dusty environments. IP65 sealed with secure stainless-steel latches for long-lasting, low-maintenance use.

Gray Finish

DLC LISTED **0-10V Dimming** **Wet Location** **IP65** **NSF** **IK08 IMPACT RESISTANT** **5 YEAR WARRANTY**

3 SELECTABLE CCT

3 SELECTABLE WATTAGES

Color Preference **3 LUMEN BOOST**

SIZE OPTIONS
2' | 4' | 8'

120-277V

SPEC SHEET



ESSENTIAL ROUND

Get the right light for every application with ETI's Essential Round High Bays, featuring three selectable CCT settings and four lumen packages with three selectable lumen outputs in each. Available with 90° or 60° optics and a convenient plug-and-play sensor port.

White Finish | Black Finish

3 SELECTABLE CCT

3 SELECTABLE WATTAGES

SIZE OPTIONS

3 Color Preference®

3 LUMEN BOOST®

11" Dia. 15000 lm 22500 lm	13.4" Dia. 30000 lm 36000 lm
----------------------------------	------------------------------------



120-277V

SPEC SHEET



2 Lens Options Available
 90° (Standard)
 60° (Order Separately)

OUTDOOR



OUTDOOR FLUSH MOUNTS & BULK HEADS

Built for dependable perimeter lighting, our outdoor flush mounts and commercial bulkheads deliver flexibility and control. Flush mounts offer clean, low-profile design with options including integrated motion sensors for added security and convenience. Bulkheads provide durable illumination with selectable CCT and lumen options for easy customization.

RESIDENTIAL

Outdoor Octagon
White Finish | Black Finish

Size: 10.43" x 10.43"



3 SELECTABLE CCT

Color Preference



SPEC SHEET

Outdoor Round with Motion Sensor
White Finish | Black Finish

Size: 11" Dia.



3 SELECTABLE CCT

Color Preference



SPEC SHEET



COMMERCIAL



8.5" OVAL MARINE BULKHEAD

White Finish



corrosion resistant

3 SELECTABLE CCT

Color Preference

TwistFit
Mounting System

120-277V

SPEC SHEET

8.5" ROUND MARINE BULKHEAD

White Finish



corrosion resistant

3 SELECTABLE CCT

Color Preference

TwistFit
Mounting System

120-277V

SPEC SHEET

All ETI Security Lights and Bulk Heads are Wet Rated and have a 5-Year Warranty.



WALL PACKS

ETI's Wall Packs deliver versatile, high-performance outdoor lighting in five distinct styles. With multiple distribution options and dark sky-friendly designs, these fixtures minimize light spill while maintaining strong, uniform illumination.

COMMERCIAL

SECURITY WALL PACK

Bronze Finish

SIZE OPTIONS

Lumen Package 1
1800-4050 lm



120-277V

SPEC SHEET

MODERN WALL PACK

Bronze Finish

SIZE OPTIONS

Lumen Package 1
3600-8520 lm

Lumen Package 2
9600-13800 lm

Lumen Package 3
12000-19600 lm



120-277V

SPEC SHEET


TRADITIONAL WALL PACK

Bronze Finish

SIZE OPTIONS

Lumen Package 1
4000-8500 lm

Lumen Package 2
9500-14500 lm



120-277V

SPEC SHEET

VERSAPAK WALL PACK

Bronze Finish

SIZE OPTIONS


Lumen Package 1
1900-4050 lm

Lumen Package 2
3900-6750 lm

Lumen Package 3
6600-10800 lm



Can be utilized in **Dark Sky Compliant Plans** when kept at 0° and set to 3000K.



120-277V

SPEC SHEET

FULL CUTOFF WALL PACK

Bronze Finish


SIZE OPTIONS

Lumen Package 1
4000-8000 lm

Lumen Package 2
9000-14000 lm



Can be utilized in **Dark Sky Compliant Plans** when set to 3000K.



120-277V

SPEC SHEET

All ETI Wall Packs have 3 Selectable CCTs and Lumens and are Wet Rated, IP65, and have a 5-Year Warranty. All Wall Packs also feature hinged access and Photocell with cover + enable / disable.

Hinged Access
for wiring,
Wattage & CCT
select access



Photocell
w/cover
+ enable
disable



3 SELECTABLE CCT

Color Preference

3 SELECTABLE WATTAGES

3 LUMEN BOOST



FLOOD LIGHTS

ETI's Flood Lights deliver powerful, flexible illumination for a wide range of outdoor applications. Available in multiple sizes, finishes, and lumen packages, these fixtures feature selectable CCT and wattage, 0-10V dimming, and durable, wet-rated IP65 construction. With versatile mounting options, integrated photocell capability, and broad distribution choices, they're designed for easy installation and long-term performance.

SMALL FLOOD LIGHTS

SMALL SIZE & FINISHES			
Bronze Finish			
Lumen Package 1 3600-8520 lm	Lumen Package 2 9600-13800 lm	Lumen Package 3 12000-19600 lm	Lumen Package 4 12000-19600 lm
White Finish			

Notes: 1. White available for Lumen Packages 1, 2 & 3 only

MEDIUM SIZE & FINISHES	
Bronze Finish	
Lumen Package 5 9600-13800 lm	Lumen Package 6 12000-19600 lm



MultiMount
Two Mounting
Options Included

120-277V

SPEC SHEET



Photocell
w/cover
+ enable
disable



LARGE FLOOD LIGHTS

SIZES & FINISH		
Bronze Finish		
Lumen Package 1 3600-8520 lm	Lumen Package 2 9600-13800 lm	Lumen Package 3 12000-19600 lm



MultiMount
Two Mounting
Options Included



120-277V

SPEC SHEET



AREA LIGHTS

ETI's VersaArea lights are equipped with an integrated controls port, enabling additional energy savings at installation or anytime down the line. With 3 selectable color temperatures and lumen outputs, 4 lumen package options, multiple mounting configurations, and 3 distribution types, VersaArea offers the flexibility to dial in performance for any application.

SIZE & FINISH			
Bronze Finish			
Lumen Package 1 7200-14000 lm	Lumen Package 2 12000-22000 lm	Lumen Package 3 18000-29000 lm	Lumen Package 4 24000-43500 lm

3 SELECTABLE CCT



3 SELECTABLE WATTAGES



2 DISTRIBUTION OPTIONS

120-277V

SPEC SHEET

MOUNTING OPTIONS



Quick Arm Mount



2-3/8" Slip Fitter Arm Mount



Wall Mount Bracket



Adjustable Straight Arm Mount



7-Pin Receptacle w/Shorting Cap

Covered Access for CCT and Lumen Select Switches



Controls Port Access

All ETI Flood Lights have Selectable CCT and Wattages, 0-10V Dimming and are Wet Rated, IP65 and have a 5-Year Warranty.

3 SELECTABLE CCT



3 SELECTABLE WATTAGES



For more information, visit etissl.com

Follow us!



1.855.384.7754 | www.etissl.com

Quotes: quotes@etissl.com

Orders: etiorders@etissl.com

4873 Thurmon Tanner Pkwy.
Flowery Branch, GA 30542

©2026 ETI Solid State Lighting.